
Subject Index

- ABEL, 3, 7, 11, 12, 17, 161, 339–360, 382
causal knowledge in, 16, 345–348
compared to other systems, 340, 345, 348
explanation in, 351, 359
reasoning strategy in, 350–354
transcript, 360
- Abstracted problem features, 163, 313
- Acceptability of computer decision systems,
68–71, 243, 363, 398, 451, 467
- Acid-base and electrolyte disorders, 48, 339–
360
- Activation of hypotheses, 219, 226, 237, 292
in INTERNIST, 193
in MDX, 330, 333
in NEOMYCIN, 364, 368
in PIP, 147, 219
- Acute renal failure, 23ff, 60
- Admissible pathway, 172, 230, 347
- AGE, 73, 95, 96
- Aggregation of hypotheses, 94, 237, 295,
303, 341, 351, 352
- Anatomical knowledge, 12, 205, 254, 327
- AND/OR goal tree, 107, 233
- Antecedent rules, 110, 364
- ARAMIS, 82, 94, 399ff
- Artificial intelligence, 2, 62ff, 75
advantages of, 162, 462
applied to teaching, 259
compared to traditional programming,
133, 460
confusions about, 471
deficiencies of, 67ff
- Associative memory, 154. *See also* Long-term
memory
- Automatic programming, 32, 115, 127, 382,
390, 397. *See also* Knowledge acquisition
- Backward chaining of rules, 86, 107, 119,
233, 245, 452
- Bacterial infection, 101
- BASIC, 17, 445, 449, 451, 453
- Bayesian approach, 24, 25, 51, 53–58, 81,
114, 174, 191, 215, 229, 238
assumptions about, 216
compared to decision theoretical approach,
61–62
deficiencies of, 57, 216–218
- BIP, 363
- Blackboard model, 96, 320, 321, 332
- Bone tumors, 26
- Bottom-up association, 292
- BUGGY, 363
- CADUCEUS, 3, 11, 16, 191, 204. *See also*
INTERNIST
- Cancer chemotherapy, 42–43, 46
- Case experience, 17, 294, 310, 427, 428
- CASNET, 2, 7, 11, 16, 65, 84–85, 160–189,
210, 228–232, 427
assumptions about, 230, 231
causal knowledge in, 163ff, 228
compared to other systems, 187, 234, 338
deficiencies of, 237, 340
evaluation of, 15, 187
explanation in, 188
human engineering in, 185
probabilistic reasoning in, 188, 229
reasoning strategy in, 85, 170ff, 231
scoring function in, 169, 229
transcript, 186
weight propagation in, 172, 230
- Categorical reasoning, 89–90, 212, 329
vs. probabilistic reasoning, 188, 210–240,
342, 360
- Causal-associational network, 16, 84, 163ff.
See also Knowledge embedding
- Causal consistency, 178, 360
- Causal dominators, 416
- Causal-hierarchical network, 96, 341
- Causality
covariation in, 410
defined, 340, 410
nonspuriousness in, 410, 415, 424
strict, 163, 187
time precedence in, 410
- Causal knowledge
in ABEL, 16, 345–348
in CASNET, 163ff, 228
in Digitalis Therapy Advisor, 392
in INTERNIST, 194, 204, 225
in NEOMYCIN, 368, 376
in PIP, 144, 145, 221
in RX, 408
of novice, 302, 309
- Causal model, 163ff, 177, 180, 228, 392, 467
admissible path in, 172
feedback in, 349
multi-level, 163, 339, 341
need for intermediate states in, 163, 204
need for multiple levels in, 346
- Causal reasoning, 187, 231
- Causal relation, 163, 194, 221, 339–360
direction of, 408
embedded in associational structure, 167,
187
frequency of, 165, 408
intensity of, 181, 408

- validity of, 347, 408, 422
- Causal rule, 368, 376
- CENTAUR, 7, 11, 92, 95, 429, 449
- Certainty factor, 66, 86, 106, 122, 233, 245.
See also Uncertainty
- Chest pains, 52
- Cholestasis, 328, 336ff
- Classically-centered disease knowledge, 280, 290
- Classic explanations, 309
- Classification. *See also* Hierarchy of diseases
problem, 193, 321, 330, 367
tables, 167, 179
- Clinical algorithms. *See* Flow chart algorithms
- Clinical parameter, 107
- Clinicopathological conferences, 191, 192
- COBOL, 323
- Cognitive modeling, 135, 158, 212, 279, 318.
See also Modeling of human problem
solving
experimental design of, 276, 281, 284
- Combinatorial explosion in data gathering, 218
- Commonsense knowledge, 13, 32, 109, 146,
222, 252, 326–327, 465
- Competing hypotheses, 198, 228, 302, 312.
See also Logical competitor sets
- Compiled knowledge, 212, 273, 320, 325,
327, 365, 380, 390, 396. *See also*
Knowledge structuring; Separation of
knowledge
- Complementary hypotheses, 220, 228
- Complication, 220
- Composite hypotheses, 94
- Computer-aided instruction, 114, 256–274,
317, 361–381. *See also* Educational
benefits; Explanation; Tutoring
- Computer decision systems
acceptability of, 68–71, 243, 363, 398, 451,
467. *See also* User interaction
assumptions in design of, 115, 155
as consultants, 2, 20, 73, 80, 100, 115, 367
conversion of, for small computers, 15,
449, 456, 467, 470
deficiencies of, 31–33, 43, 46, 49–50, 52–
53, 57–58, 61–62, 67–71, 74, 126,
216, 221, 236ff, 348, 467
design guidelines, 31–33, 37, 62–65, 68–
71, 100, 243, 455, 464
in routine practice, 16
microprocessor, 456, 457
need for education about, 472
performance of, 15, 68–69. *See also*
Evaluation
problem area selection criteria, 469
rational for, 15, 19–20, 36–37
- Concept identification, 31. *See also*
Knowledge acquisition
- Conceptual structure, 84, 88, 321, 332
- Confirmatory evidence, 300
- Confirmatory rules, 321, 328
- Confounding variables, 416, 467
- Congenital heart disease, 26, 281ff
- Congestive heart failure, 364
- Connective tissue diseases, 430
- CONNIVER, 135
- Consistency
in reasoning. *See* Causal consistency
of knowledge bases, 96, 128, 253, 467, 470
- Constraint relaxation, 309
- Constrictor relationships, 94
- Consultation programs. *See* Computer
decision systems
- Content vs. form, 323
- Context tree, 86, 90, 107, 112, 234
- Control strategy, 6, 90, 92, 93, 95, 162. *See*
also Reasoning strategy
among specialists, 95
backward chaining, 86, 107, 119, 233, 245,
370, 452
bottom-up, 292
constraint relaxation, 309
data-driven, 248, 370
depth-first, 107
distributed, 331
domain-independent, 361, 369
establish-refine, 336
exhaustive, 29, 86, 108
forward chaining, 248
generate and test, 409
goal-directed, 154, 248
group-and-differentiate, 374
hypothesis-directed, 87, 177, 279, 316
parallel, 336
- Correlation, lagged, 411
- Cost of tests, 24, 176, 216
- Covariation in causality, 410
- Daemons, 147–149
- Data. *See also* Findings; Manifestations;
Observations
vs. knowledge, 4, 37–39, 440
spurious, 248
validity of, 250
- Data base analysis, 43–47, 406
- Data bases, 4–5, 400, 465
- Data-driven reasoning, 248, 370, 458
- Data-gathering strategy, 11, 13, 141, 170,
238, 465. *See also* Test selection function
combinatorial explosion, 218
of ABEL, 350
of INTERNIST, 199, 228
of NEOMYCIN, 370
of PIP, 135, 146, 152, 221, 224
- Decision-making paradigms, 35, 40, 77–82
- Decision theoretical approach, 23–28, 58–62,
83, 215, 467
compared to Bayesian approach, 61–62
deficiencies of, 28–30, 61–62, 126
- Decision trees, 25ff, 59, 61–62
- Declarative knowledge, 95, 278
- Decomposition of disease components, 341,
348
- Definitional rules, 253
- DENDRAL, 18, 114, 324
- Depth-first reasoning, 107
- Descriptive component, 90. *See also*
Knowledge structuring
- DIAGNOSER, 275–276

- Diagnosis. 141, 192, 194, 211, 279, 350
See also Hypotheses
 classification in, 179, 193
 definitive, 201
 differential, 197, 284, 329, 430
 errors in, 202, 217, 236ff, 271, 276, 291, 299, 308, 311, 316–317
 explaining findings in, 203, 237, 334, 364
 guessing in, 158
 partitioning algorithm for, 88, 194, 228
 procedure for, 90, 92, 194, 318
 sequential, 21–23, 172, 215
- Diagnosis strategies. *See also* Control strategy;
 Data-gathering strategy; Focus in reasoning; Hypothesis-directed reasoning; Reasoning strategy; Scoring function
 establish-refine, 336
 group-and-differentiate, 367, 374
 problem-oriented approach, 270
 ruling-out, 329
- Differentiation of disease knowledge, 286, 314, 325
- Digitalis therapy, 93, 211, 364
- Digitalis Therapy Advisor, 7, 93, 95, 214, 382–398
- Discourse procedures, 264
- Disease
 categories, 167, 226, 280, 314, 321, 339, 340, 368, 406
 chronic, 95
 classification tables, 167, 179
 components, decomposition of, 341, 348
 hierarchy. *See* Etiologic knowledge;
 Hierarchy of diseases
 mechanism. *See* Causal model
 process, 163, 367, 369, 388
 profile, 193, 203. *See also* Prototypical models
 secondary, 335
 seriousness of, 165
 severity of, 179
- Disease knowledge. *See also* Anatomic knowledge; Causal knowledge; Etiologic knowledge; Pathoanatomic knowledge; Pathognomonic knowledge; Pathophysiological knowledge
 classically centered, 280, 290
 combined with statistical analysis of a data base, 406
 differentiation of, 286, 314, 325
 generalization of, 314
 precision of, 280, 299, 310
 sparseness of, 280, 292
 syndromic, 341, 342
- Distributed problem solving, 331
- Domain-independent strategies, 361, 369
- *Domain-independent tutoring rules, 273
- Dysfunctional states, 228. *See also* Pathophysiological knowledge
- Edema, 132
- Educational benefits, 3, 43, 74, 88, 95, 253, 317, 320, 331, 363. *See also* Explanation; Tutoring
- Elaboration of hypotheses, 341, 351, 353
- ELIZA, 26
- EMYCIN, 16, 73, 95, 99, 362ff, 427, 444ff, 456, 468
- Epistemological adequacy of representation, 322
- Errors in reasoning. *See* Diagnosis, errors in
- Establish-refine strategy, 336
- Etiologic explanations, 342
- Etiologic knowledge. *See also* Hierarchy of diseases; Classification problem
 in MDX, 330ff
 in NEOMYCIN, 365, 376
- Evaluation
 experimental design of program, 453, 467
 of CASNET, 187
 of INTERNIST, 192, 200–205
 of microprocessor EXPERT, 460
 of MYCIN, 15, 118
 of PUFF, 15, 453–454
- Evoking strength, 193, 225
- Exclusionary rule, 150, 321, 329
- Exhaustive reasoning, 29, 86, 89, 108
- Expectations of patient state, 246
- Expected values, 59
- Experiential knowledge, 29–32. *See also* Compiled knowledge
- Experimental design
 confounding variables in, 416
 garden path methodology in, 281
 of cognitive study, 135, 276, 281, 284
 of data base discovery, 410
 of medical discovery, 402
 of model development, 430, 458
 of program evaluation, 453
- Expert knowledge, 62–65, 212, 281, 290, 311
- Expert vs. novice problem solving, 159, 212, 278, 309, 312, 379
- Expert systems. *See* Knowledge-based systems
- EXPERT, 73, 74, 95, 160, 426–443, 456–462.
See also Microprocessor EXPERT; SEEK
 compared to CENTAUR and PIP, 429
 deficiencies of, 442
 evaluation of model, 432
 FORTRAN implementation of, 14
 scoring function in, 429
 transcript, 432
 uncertainty in, 429
 user interaction in, 431
- Explaining findings, 203, 237, 309, 334, 339, 351, 364, 427
- Explanation, 3, 11, 13, 76, 87, 95, 115, 465, 467. *See also* Justifications; XPLAIN
 assumptions about, 124
 benefits of, 383
 from canned text, 382, 387
 from code, 214, 260, 382, 387–389
 in ABEL, 359
 in CASNET, 188
 in GUIDON, 265–269
 in MYCIN, 120ff
 in ONCOCIN, 470
 in SEEK, 436, 440

- levels of abstraction in, 15, 387, 397
- need for, 33, 386, 450
- of case experience, 427
- program, 102
- requested by program users, 262, 386
- structuring a knowledge base for, 361ff
- Extraction in reasoning, 291, 299, 303, 306, 311
- Feedback
 - in causal reasoning, 349
 - of physiological parameters, 95
 - in tutorial dialogues, 265
- Findings, 77, 79, 193, 218, 393. *See also* Data; Manifestations; Observations
 - characterizing, 146, 222, 238, 247, 369
 - explanation of, 203, 237, 309, 334, 339, 351, 364, 427
 - import of, 193
- First principles, 212, 253, 467, 470
- Flexibility of program design, 76
- Flow chart algorithms, 40–43, 55, 81, 213
- Focus in reasoning, 89–90, 108, 200, 204, 220, 227, 238ff, 290, 324, 343, 366
- FORTRAN, 14
- Forward chaining of rules, 248
- Forward weight, 230
- Frames, 16, 88, 90, 143, 154, 2254, 278, 316, 323, 325, 378, 407, 428
 - combined with production rules, 235, 254, 324–325
 - in PIP, 143, 144, 146, 154
- Frequency, 165, 193, 225, 408
- FRL, 325
- Fuzzy logic, 65, 84, 86, 115, 229, 232, 234
- Garden path methodology, 281
- Gastrointestinal diseases, 55–57
- Generalization of disease knowledge, 314
- Generate and test, 409
- Glaucoma, 84, 161ff, 228, 232
- Goal-directed reasoning, 154, 245
- Group-and-differentiate strategy, 367, 374
- GUIDON, 11, 14–16, 95, 256–274, 363ff. *See also* Tutoring
- GUS, 235
- HASP/SIAP, 241
- HEADMED, 272
- Health care improvements, 19–20, 73
- HEARSAY, 321
- Heuristics, 30, 69, 374
- Hierarchical-causal networks, 96, 341
- Hierarchy of diseases, 76, 87, 193, 226, 280, 315, 320, 407
 - deficiencies of rigid, 193
 - with production rules, 321, 369
- Human engineering, 444, 457
 - of CASNET, 185
 - of INTERNIST, 225
 - of MYCIN, 101, 102, 107, 112, 113, 120
 - of VM, 248ff
- Hypotheses, 79, 218
 - activation of. *See* Activation of hypotheses
 - aggregation of, 94, 237, 295, 303, 341, 351, 352
 - confirmed, 170, 221
 - consideration of alternative, 302, 312
 - denied, 229
 - elaboration of, 341, 351, 353
 - evidence for, 79
 - mutual exclusivity of, 172, 217
 - proliferation of, 153, 237
 - refinement of, 329, 365
 - refutation of, 329
 - revision of, 159
 - tentative, 170, 351, 434
 - testing of, in PIP, 150
- Hypothesis-directed reasoning, 85, 87, 89, 177, 220, 276, 279, 316
- Hypothesize and debug, 360
- Import of finding, 193, 227
- Imprecise disease knowledge, 280, 299, 310
- Independence of tests, 216
- Inexact reasoning. *See* Model, of inexact reasoning
- Infectious diseases, 86, 100, 232, 363, 427
- Inference engine, 90
- Inference function, 24. *See also* Scoring function
- Inference net, 235
- Information gathering, 23. *See also* Data-gathering strategy
- Information structure, 23. *See also* Knowledge
- Intensity of causal relation, 181, 408
- Intensive care unit, 241ff
- Interactive Data-Analysis Language (IDL), 405, 421
- Interdependency of manifestations, 204
- Interlisp, 14, 87, 93, 96, 102, 405, 421, 449
- Internal medicine, 87, 191, 224, 232, 427
- INTERNIST, 2, 7, 11, 14, 16, 64, 67, 74, 84, 87–88, 94, 161, 190–209, 210, 224–228, 383, 468
 - causal knowledge in, 194, 204, 225, 340
 - compared to other systems, 227, 236, 338, 379
 - data-gathering strategy in, 199, 228, 237
 - deficiencies of, 204–205, 227, 236, 237, 340
 - disease hierarchy of, 193, 226
 - evaluation of, 15, 192, 200–205
 - human engineering in, 191, 225
 - probabilistic reasoning in, 225
 - reasoning strategy in, 87, 197–200, 227
 - scoring function in, 194, 197–200, 225
 - transcript, 205–209
- Interpretations of physiologic measurements, 245, 446
- Inverse weight, 174, 230
- IRIS, 93, 95
- Judgmental knowledge and reasoning, 28, 37, 106, 187, 194, 212, 324
- Justifications in explanation, 76, 253, 386, 389ff

KLONE, 325

Knowledge. *See also* Causal knowledge; Disease knowledge; Judgmental knowledge and reasoning; Meta-knowledge

commonsense, 13, 32, 109, 146, 222, 252, 326–327, 465

compiled, 212, 273, 320, 325, 327, 365, 380, 390, 396

content vs. form, 323

contrasted with data, 4, 37–39, 440

contrasted with reasoning, 277

errors. *See* Diagnosis, errors in experimental, 29–32. *See also* Compiled knowledge

expert, 62–65, 212, 281, 290, 311

of first principles, 212, 253, 467, 470

organization of, 324

procedural, 29

redundance and bias of, 328

separation of, 76, 90, 185, 321, 417

shallow, 203, 214, 342

task-accessible, 317, 366

traditional view of, 276

Knowledge acquisition, 11, 16, 17, 30, 32, 102, 115, 236, 426ff, 465, 467. *See also*

Automatic programming; Concept identification; EXPLAIN; Knowledge engineering tools; Knowledge structuring; Learning; TEIRESIAS

assumptions about, 126

by case experience, 427, 437, 442, 458

by debugging, 94, 126

by discovery, 401

by lottery, 28

by refinement, 428, 438

by trial and error, 30

from experts, 3, 28, 108, 126ff

from textbooks, 157

Knowledge-based systems, 2, 5, 6, 9, 23, 95, 99

Knowledge embedding, kinds of

causal relations in associational structure, 167, 187

production rules in a disease hierarchy, 325, 369

production rules in a state transition network, 251

Knowledge engineering, 36, 97

tools, 95, 427, 445, 458. *See also* AGE; EMYCIN; EXPERT

Knowledge representation, 3

declarative, 278

epistemological adequacy of, 322

modularity of, 87, 106, 118

multiple use of, 243

stylized, 118, 253

uniformity of, 86, 236

Knowledge representations, kinds of. *See also*

Decision trees; Flow chart algorithms; Frames; FRL; KRL; Production rules; Semantic network

AND/OR goal tree, 107, 233

blackboard model, 96, 320, 321, 332

Knowledge structuring, 6, 11, 12, 162, 253, 325

for explanation, 15, 389ff

for performance, 68–69, 84, 203–205, 342

for teaching, 273, 320, 353–366, 380

vs. scoring function, 61–62, 84, 203–205,

218

KRL, 323, 325

Learning, 278, 321–315, 318, 400, 438

Levels of abstraction, 163, 341

in explanation, 15, 387, 397

in knowledge representation languages, 5, 32–33

LISP, 14

Logical competitor set, 281, 283, 311, 312, 361, 379

Long-term memory, 142

Lottery, 28

Lung disease, 446

MACSYMA, 99

Manifestations, 204, 205, 225

Markov modeling, 62

Mathematical models, 47–50, 93

MATLAB, 2, 99

MDX, 7, 11, 16, 17, 95, 320–338

compared to other systems, 327, 328

etiologic knowledge in, 330ff

reasoning strategy in, 328ff, 336

Mechanism of disease. *See* Causal model

Medical application areas

acid-base and electrolyte disorders, 48, 339–360

acute renal failure, 23ff, 60

bacterial infection, 101

bone tumors, 26

cancer chemotherapy, 42–43, 46

chest pains, 52

cholestasis, 328, 336ff

chronic disease, 95

congenital heart disease, 26, 281ff

congestive heart failure, 364

connective tissue diseases, 430

digitalis therapy, 93, 211, 364

edema, 132

gastrointestinal diseases, 55–57

glaucoma, 84, 161ff, 228, 232

infectious diseases, 86, 100, 232, 363, 427

intensive care unit, 241ff

internal medicine, 87, 191, 224, 232, 427

interpretations of physiologic measurements, 245, 446

lung disease, 446

meningitis, 370ff

ophthalmology, 427

patient monitoring, 241ff

pediatric cardiology, 279

psychopharmacology, 95

pulmonary function, 446

renal disease, 211

rheumatology, 405, 426, 430

scanning densitometer, 457

serum protein electrophoresis, 456, 458

systemic lupus erythematosus, 423

ventilator management. *See* VM

- Medical knowledge. *See* Disease knowledge
- MEDICO, 93
- Meningitis, 370ff
- Meta-knowledge, 11, 13, 94, 96, 110, 112
of decision program limitations, 75
about strategies, 71, 374
- Meta-rules, 111, 254, 324, 270, 361
- Microprocessor, 456, 457
- Microprocessor EXPERT, 11, 16, 17, 456–462
- Model
causal. *See* Causal model
- Markov, 62
- mathematical. *See* Mathematical modeling
of disease processes, 163
- of inexact reasoning, 105, 115. *See also*
Certainty factors
- of mineral exploration, 427
- of stages in intensive care unit, 246
- of student, 266–268, 362
- of ventilatory therapies, 251
- patient-specific, 85, 87, 339, 341, 350
- prototypical, 88, 218, 254, 280, 313, 325,
428, 450
- stages in problem-solving, development of,
430, 458
- Modeling of human problem solving, 16, 17,
21–22, 77, 133, 188, 192, 220, 228, 240,
275, 279, 324, 413, 467. *See also*
Cognitive modeling; Expert vs. novice
problem solving
- for teaching programs, 271, 363ff, 380
- to improve AI programs, 154, 237, 340,
350
- Modularity of knowledge, 6, 76, 87, 106, 118
- Multiple diagnoses, 16, 181, 192, 204, 237,
301, 342, 348
- Multiple use of knowledge, 13, 243
- Multiple views, 193, 325, 359
- Multiple visits, 449
- Mutual exclusivity of hypotheses, 172, 217
- MYCIN, 2, 7, 8, 11, 12, 16, 65–66, 74, 75,
84, 86–87, 95, 160, 210, 232–236, 324,
361–383, 427, 468
- assumptions in design, 116
- compared to other systems, 187, 234,
241ff, 249, 337, 365–370
- data-gathering strategy in, 237
- deficiencies of, 237, 241
- deficiencies of, for application to teaching,
361, 363–364. *See also* GUIDON;
NEOMYCIN
- evaluation of, 15, 118
- explanation in, 15, 66, 102, 120ff
- extensions to, 250
- human engineering in, 101, 102, 108, 112,
113, 120
- knowledge acquisition in, 126ff, 236. *See
also* TEIRESIAS
- nondescriptive representation in, 90
- probabilistic reasoning in, 66, 102, 235
- production rules in, 233, 244
- reasoning strategy in, 107, 113, 233
- transcript, 101
- user interaction in, 15
- Natural language understanding, 32, 115,
127, 325, 383
- NEOMYCIN, 7, 11, 12, 14, 17, 361–381
- assumptions about, 367
- backward chaining in, 370
- causal knowledge in, 376
- compared to other systems, 321, 365–370,
379
- data-gathering strategy in, 370
- deficiencies of, 379
- etiologic knowledge in, 365
- meta-rules in, 16
- reasoning strategy in, 366, 374
- transcript, 370–374
- NEUREX, 95
- NEUROLOGIST, 95
- Nonspuriousness in causality, 424
- Normative component, 90. *See also* Control
strategy
- Novice. *See also* Expert vs. novice problem
solving
- diagnosis, 212, 311
- disease knowledge, 280
- Observations of the patient, 163, 167, 193,
428. *See also* Data; Findings;
Manifestations
- ONCOCIN, 11, 15, 16, 46, 470
- Ophthalmological network (ONET), 186ff
- Ophthalmology, 427
- Organization of knowledge, 324. *See also*
Knowledge structuring
- Organ-system involvement, 203, 205
- Parallel reasoning, 336, 467
- Partitioning algorithm, 88, 194, 228
- Pathoanatomic knowledge, 192
- Pathognomonic knowledge, 220, 297, 299, 331
- Pathophysiological knowledge, 29–30, 89,
163, 194, 204, 280, 312, 341, 342, 368,
377, 399ff. *See also* Causal relation
- Patient monitoring, 241ff
- Patient-specific model, 85, 87, 142, 339, 341,
350
- Pattern-recognition methods, 82
- Paucity of problem features, 312
- Pediatric cardiology, 279
- Perceptual chunking hypothesis, 315
- Perceptual skills, 77
- Performance of programs, 15, 68–69. *See also*
Evaluation
- structuring a knowledge base for, 69, 342
- Physicians, supply of, 19–20
- Physiologic interpretation, 245, 446
- Physiologic knowledge, 30–31, 144, 218, 246,
327, 342
- Physiologic monitoring system, 245
- PIP, 2, 11, 16, 19, 84, 88–90, 131ff, 160,
210, 218–224, 226–228, 383
- causal knowledge in, 144, 145, 221, 340
- compared to other systems, 227, 236, 338,
429

- data-gathering strategy in, 135, 146, 152, 221, 224, 237
- deficiencies of, 89, 155, 224, 236, 237, 340
- experimental design of, construction, 135
- hypothesis activation in, 147, 220
- hypothesis revision in, 159, 226
- hypothesis testing in, 150, 224
- reasoning strategy in, 89, 146, 154, 220, 222
- scoring function in, 151, 221
- transcript, 136–140
- use of frames in, 143–146, 154
- weight propagation in, 221
- PLANNER, 66, 107, 108
- Planning, 92, 317
- Precautionary reasoning, 290, 299, 303, 306, 311
- Predisposing factors, 194, 204
- Present illness of a patient, 211, *See also* PIP
- Primary care physician, 36, 363
- Principle of parsimony, 153
- Probabilistic data, 194, 216
- Probabilistic reasoning, 21–23, 213
 - in CASNET, 188, 229
 - vs. categorical reasoning, 188, 210–240, 342, 360
 - in INTERNIST, 225
 - in MYCIN, 235
- Problem area, 192, 198
- Problem formulation, 193
- Problem-oriented approach, 270
- Problem solving in complex domains, 278.
 - See also* Semantically complex domains
- Procedural knowledge, 29, 95
- Procedurally attached heuristics, 235
- Production rules, 16, 29–31, 86, 90, 100, 117, 232, 242, 324. *See also* Rules
 - advantages of, 66–67, 118, 129, 260, 266, 417, 455
 - assumptions in use of, 116
 - combined with frames, 235, 254, 321, 324–325
 - embedded in a disease hierarchy, 325, 369
 - embedded in a state transition network, 251
 - in MDX, 321
 - in Microprocessor EXPERT, 460
 - in MYCIN, 66, 86, 102, 232, 244
 - in PUFF, 452
 - in RX, 417
 - in VM, 246
 - limitations of, 119, 128, 236, 324, 364, 451
 - methodology of, 114, 243
 - unity path, 109
- Progression of disease, 179
- Projection, 351, 354
- Proliferation of hypotheses, 153
- PROSPECTOR, 93, 95, 235, 427
- Prototypical models, 88, 218, 254, 280, 313, 325, 428, 450
- Psychological experimentation. *See* Cognitive modeling
- Psychopharmacology, 95
- PUFF, 7, 11, 16, 17, 99, 444–456
 - deficiencies of, 449
 - evaluation of, 15, 453–454
 - production rules in, 452
 - transcript, 450
 - tutorial example, 272–273
 - user interaction in, 447
- Pulmonary function, 446
- QA3, 278
- Question-answering program, 102. *See also* Explanation
- Questioning strategy. *See* Data-gathering strategy
- Reasoning strategy, 11, 12, 76, 278, 318. *See also* Aggregation; Control strategy; Decomposition; Elaboration; Extraction; Problem formulation; Projection; Summation
 - improvements, 237, 348
 - of ABEL, 350–354
 - of CASNET, 85, 176ff, 231
 - of Digitalis Advisor, 393
 - of INTERNIST, 87, 197–200, 227
 - of MDX, 328ff, 336
 - of MYCIN, 107, 113, 233
 - of NEOMYCIN, 336, 374
 - of PIP, 89, 146, 154, 220, 222
 - of RX, 403–404
 - of VM, 248
- Recommendation rule, 321
- Refinement of hypotheses, 329, 365
- Refinement structure of program, 390
- Renal disease, 211
- Rheumatology, 405, 426, 430
- Risk of treatment, 23, 384
- Rule justification, 253
- Rule model, 428
- Rule refinement, 428
- Rules, kinds of. *See also* Production rules
 - antecedent, 110
 - causal, 368
 - confirmatory, 321
 - definitional, 253
 - domain-independent, 273, 361, 369
 - exclusionary, 150, 321, 329
 - meta-, 111, 254, 324, 369
 - recommendation, 321
 - sufficiency, 151
 - tutoring, 260, 265
- RX, 7, 11, 17, 399–425
 - causal knowledge in, 408
 - deficiencies of, 424
 - production rules in, 417
 - reasoning strategy in, 403–404
 - temporal reasoning in, 408
 - transcript, 423
 - user interaction in, 424
- SACON, 444
- Scanning densitometer, 457
- Schemata. *See* Frames; Prototypical models
- SCHOLAR, 363
- Scoring function, 24, 89. *See also* Uncertainty of CASNET, 169, 229

- of EXPERT, 429
- of INTERNIST, 194, 197–200, 225
- of PIP, 151, 221
- vs. knowledge structuring, 61–62, 84, 203–205, 218
- Secondary disease, 335
- SEEK, 11, 16, 17, 426–443
- Semantically complex domains, 271, 316, 318
- Semantic network, 90, 94, 114, 163, 323, 343
- Separation of knowledge, 76, 90, 185, 321, 417. *See also* Compiled knowledge; Knowledge embedding; Knowledge structuring
- Seriousness of disease, 165
- Serum protein electrophoresis, 456, 458
- Severity of disease, 179
- Severity of manifestation, 205
- Shallow reasoning, 203, 214, 342
- Short-term memory, 142
- Signal interpretation, 241, 460
- Simulated diagnostic encounters, 269, 317
- Skills in medical problem solving, 259
- Society of experts, 330
- SOPHIE, 362
- Sparseness of disease knowledge, 280, 292
- Specialists, 276, 321, 330, 332
- SPSS, 421
- Spurious data, 248
- Statistical analysis, 406, 418–420
- Statistical decision-theory, 79–81
- Statistical pattern matching 50–53, 811
 - deficiencies of, 52–53, 162, 231
- Strategy rule, 369. *See also* Meta-rules
- Structural analysis, 95, 444
- Student model, 266–268, 362
- Stylized representation, 118, 253
- Sufficiency rule, 151
- SUMEX-AIM, 187, 205, 255, 381, 405, 445, 449, 455
- Summation of disease components, 341, 348
- Syndromic disease knowledge, 341, 342
- System design. *See* Computer decision systems
- Systemic lupus erythematosus, 423

- Tabular model, 428, 442
- Taxonomic classification. *See* Classification problem
- TEIRESIAS, 16, 67, 94, 427
- Templates, 109
- Temporal reasoning, 202, 248, 325, 339, 340
 - in RX, 408
 - in VM, 94, 241ff
- Test selection function, 24, 172, 215. *See also* Data-gathering strategy; Sequential diagnosis
- Textbook
 - errors, 294, 310
 - vs. knowledge base system, 12, 472
 - knowledge contrasted with heuristics, 3
 - number of facts in, 156
 - source for knowledge acquisition, 157
 - writing influenced by cognitive studies, 331
- Therapy recommendations. *See* Treatment
- Time-oriented data bank (TOD), 45, 399ff
- Time precedence in causality, 410
- TLC, 278
- Top-down refinement strategy, 365
- Treatment, 79, 169, 181
 - risk of, 23, 384
 - selection strategy, 24, 184, 393
- Triggers, 89, 219, 227, 292, 299, 364, 368
- Tutoring, 95, 253. *See also* BUGGY; Computer-aided instruction; Explanation; GUIDON; NEOMYCIN; SCHOLAR; SOPHIE; WEST; WHY; XPLAIN
 - design guidelines, 261
 - dialogue management, 262
 - providing assistance in, dialogues, 268, 317
 - rules, 260, 265
 - structuring a knowledge base for, 6, 273, 320, 361ff, 365–366, 380
 - student model in, program, 266–268
- Uncertainty, 11, 13, 30, 65, 84, 86, 92. *See also* Certainty factor; Fuzzy logic
 - in CASNET, 167, 188
 - in EXPERT, 429
 - in MYCIN, 233
- Uniformity of representation, 86, 236
- Unity path, 109
- User interaction, 15, 32–33, 76, 87, 100, 254, 383, 457, 466
 - in CASNET, 185
 - in EXPERT, 431
 - in GUIDON, 261
 - in MYCIN, 15
 - in PUFF, 444, 447
 - in RX, 424
- Utility of tests, 24, 28
- Utility of treatment, 25, 28

- Validity of causal relation, 347, 408, 422
- Validity of data, 250
- Value judgments, 80
- Ventilator management. *See* VM
- Version space, 438
- Viewpoints on the patient. *See* Multiple views
- VM, 7, 11, 16, 67, 94, 161, 241–255
 - human engineering in, 248ff
 - production rules in, 246
 - rationale for, 249
 - reasoning strategy of, 248
 - temporal reasoning in, 94, 248
- Weight propagation
 - in CASNET, 85, 172, 230
 - in PIP, 221
- WEST, 363
- WHY, 362
- WUMPUS, 362, 363

- XPLAIN 7, 11, 15, 17, 214, 382–398
- ZOG, 94